[]

Government of Jammu and Kashmir Department of Forest, Environment & Ecology Civil Secretariat, Srinagar

www.jkforestadm.nlc.ln

Subject:-

Modification of SRO 45 dated 03.02.2017 in consistent with Plastic Management Rules, 2016 and 2018 (Amended) and Interm Relief therein.

Reference:

SPCB/LSJ/300/705 dated 26.09.2018 received from State Pollution Control Board, J&K,

Srinagar.

Government Order No: 327 - FST of 2018 | Dated:- - 11 10 2018

Permission is hereby accorded to the export of Multi Layered Packaging Material (irrespective of thickness) outside state as an interm relief till the modification/amendment of SRO-45. The manufacturer of Multi Layered Packaging Material shall abide by the following laid out terms and conditions:

Raw Material imported into the State of Jammu & Kashmir for manufacturing of. Multi Layer Packaging should only be for captive use in the industrial units duly consented by the Pollution Control Board.

The finished Multi Layered Packaging should not be marketed by the unit holder in the state of Jammu and Kashmir and shall only be export oriented out of the

Only Multi Layered Packaging manufactured by the units, consented by the Pollution Control Board shall be permitted.

Plastic Waste Management Rules, 2016 as amended in 2018, are not infringed by 4.

the manufacturer of Multi Layered Packaging in any manner.

All other requirements of the Jammu and Kashmir Non Biodegradable Material (Management, Handling and Disposal) Act, 2007, rules and guidelines issued there under are met by the manufacturer of Multi Layered Packaging.

The Manufacturer shall also abide by the guidelines and instructions issued by the State Pollution Control Board (Prescribed Authority) from time to time in

this regard.

By Order of the Government of Jammu and Kashmir.

Sd/-

(Manoj Kumar Dwivedi) IAS Commissioner / Secretary to Government

Forest, Env. & Ecology Department.

Dated:- // -10-2018.

Chairman State Pollution Control Board, J&K, Srinagar, with the request to initiate the process of modification of SRO 45 accordingly.

